Docket No.: PF-0187-2 DIV

Please amend claims 1, 2, 5, 6, 8 and 14 as follows:

1. (Twice Amended) An isolated antibody which specifically binds to a polypeptide comprising an amino acid sequence selected from the group consisting of:

- a) an amino acid sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7,
- b) a naturally-occurring amino acid sequence having at least 90% sequence identity to the full length of the sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7, and
- c) an immunogenic fragment of a polypeptide having the amino acid sequence of SEQ ID NO:1, SEQ ID NO:5, or SEQ ID NO:7.

B3

- 2. (Once Amended) A composition comprising the antibody of claim 1 in conjunction with a suitable pharmaceutical carrier.
- 3. A method of preparing a polyclonal antibody with the specificity of the antibody of claim 1 comprising:
 - immunizing an animal with the polypeptide of SEQ ID NO:1, SEQ ID NO:3,
 SEQ ID NO:5, or SEQ ID NO:7, or an antigenically-effective fragment thereof under conditions to elicit an antibody response;
 - b) isolating animal antibodies; and
 - screening the isolated antibodies with the polypeptide thereby identifying a polyclonal antibody binds specifically to the polypeptide of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7.
 - 4. An antibody produced by a method of claim 3.
- 5. (Once Amended) A composition comprising the antibody of claim 4 in conjunction with a suitable pharmaceutical carrier.

6. (Once Amended) A method of making a monoclonal antibody with the specificity of


50 82579


09/726,899

Docket No.: PF-0187-2 DIV

the antibody of claim \comprising:

- a) immunizing an animal with the polypeptide of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7, or an antigenically-effective fragment thereof under conditions to elicit an antibody response;
- b) isolating antibody producing cells from the animal;
- c) fusing the antibody producing cells with immortalized cells in culture to form monoclonal antibody-producing hybridoma cells;
- d) culturing the hybridoma cells; and
- e) isolating from the culture monoclonal antibody which binds specifically to the polypeptide of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7.
- 7. A monoclonal antibody produced by a method of claim 6.





- (a) a chimeric antibody;
- (b) a single chain antibody;
- (c) a Fab fragment; or
- (d) a F(ab')₂ fragment.
- 10. The antibody of claim 1, wherein the antibody is produced by screening a Fab expression library.
- 11. The antibody of claim 1, wherein the antibody is produced by screening a recombinant immunoglobulin library.
- 12. A method for detecting polypeptide of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7 in a sample comprising the steps of:



B5

Docket No.: PF-0187-2 DIV

- a) combining the antibody of claim 1 with a sample under conditions to allow specific binding; and
- b) detecting specific binding, wherein specific binding indicates the presence of polypeptide of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7 in the sample.
- 13. A method of using an antibody to purify polypeptide of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7 from a sample, the method comprising:
 - a) combining the antibody of claim 1 with a sample under conditions to allow specific binding; and
 - b) separating the antibody from the protein, thereby obtaining purified polypeptide of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7.
- 14. (Once Amended) An isolated polypeptide comprising an amino acid sequence selected from the group consisting of:
 - a) a polypeptide having an amino acid sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7,
 - b) a naturally-occurring polypeptide having an amino acid sequence at least 90% identical to the full length of the sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7, and
 - c) an immunogenic fragment of the polypeptide having the amino acid sequence of SEQ ID NO:1, SEQ ID NO:5, or SEQ ID NO:7.

66